



**Tough Technology Products**  
Eaton Place Business Centre, 114 Washway Road, Sale  
Cheshire, M33 7RF, England  
Tel: 0800 772 0996

**TTP**  
Leading Edge Technology



# PROCLEAN-5000

SAFE & MULTIPURPOSE SOLVENT DEGREASER

## Product Description

Proclean 5000 Powerful, yet safe fast acting solvent degreaser which has multiple applications and can be used in the most difficult of degreasing situations where safety is a requirement.

## Typical Applications

Proclean 5000 degreasers will remove : Adhesives, Grease, Wax, Tar, Silicon, Sealants and Printing Inks  
Safe to use on most plastics and can be used on painted surfaces, vinyl and glass - Ideal as a cleaner prior to using any adhesive products.

## Application Features

Fast, thorough & safe degreasing and cleaning  
Removes adhesives, sealants, oil, grease, silicon, wax, tar, paraffin, printing ink etc...  
Can be used on painted surfaces, vinyl, glass, rubber and plastics  
Fast drying  
Leaves no residue  
Very economical  
Ideal as a pre-treatment for paints or adhesives  
Very low odour

## General Information

For safe handling of this product consult the Material Safety Data Sheet.

## Direction Of Use

See label





**Tough Technology Products**  
Eaton Place Business Centre, 114 Washway Road, Sale  
Cheshire, M33 7RF, England  
Tel: 0800 772 0996

**TTP**  
Leading Edge Technology



# PROCLEAN-5000

SAFE & MULTIPURPOSE SOLVENT DEGREASER

## Physical & Chemical Properties

<b>Appearance:</b>	Water white liquid.
<b>Odour:</b>	Characteristic odour.
<b>pH:</b>	N/A
<b>Flashpoint:</b>	47° C
<b>Flammability:</b>	Flammable
<b>Relative Density</b>	0.80
<b>Solubility:</b>	Insoluble in water.
<b>O.E.L.:</b>	Threshold suggested to be 100ppm.

## Presentation

Bottle: ... 500ml or 25Ltr

## Storage

Keep away from: Oxidising agents.  
Suitable storage material: Steel or plastic containers.  
Special precautions: Store in cool well ventilated area in tightly closed containers away from heat sources and naked flames. No smoking in storage areas.

## Data Ranges

The data contained in this data sheet may be reported as typical value and/or range. Values are based on actual test data and are verified on a regular basis.

## Disclaimer

**IMPORTANT:** The statements, technical information and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, †Tough Technology Products Limited† expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN.**  
The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement.

Before handling this material, read and understand the MSDS (Material Safety Data Sheet) for additional information on personal protective equipment and for safety, health and environmental information.

