



SURE-FIX ACTIVATOR

SURE-FIX Activator enables **surefix** to bond porous materials

Part No SFA0002

Product Description

Surefix Activator enables Surefix to bond porous materials such as Wood (MDF) also difficult to bond materials plastics, rubber, ceramics and metals.

Typical Applications

Surefix Activator is specially formulated for use with Surefix super glue for the bonding of porous materials.

Physical & Chemical Properties

Physical State	Aerosol	Colour	Colourless
Odour	Light paraffinic	Evaporation Rate	Fast
Viscosity	Non-viscous	Relative Density	0.71
Specific Gravity	0.79gms/cc Method Hydrometer		

General Information

For safe handling of this product consult the Material Safety Data Sheet.

Direction Of Use

Ensure surfaces to be bonded are clean and dry.
Spray surefix Activator onto one surface and allow to dry.
Apply a small amount of surefix to the other surface.
Assemble parts.
Ultra fast cure time does not allow time for realignment.
Store upright in a dry, dark and cool place.

The user is always advised to conduct tests to determine the suitability of the product for the intended application.





SUREFIX ACTIVATOR

SUREFIX Activator enables **surefix** to bond porous materials

Part No SFA002

Presentation

Aerosol: ... 200ml

Storage

Store in a area out of direct sunlight, between 5 - 25° C gives optimum storage stability.

Data Ranges

The data contained in this data sheet may be reported as typical value and/or range. Values are based on actual test data and are verified on a regular basis.

Disclaimer

IMPORTANT: The statements, technical information and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control,

on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANT ABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN.

The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate

steps to be sure that any proposed use of the product will not result in patent infringement

Tough Technology Products Limited expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance

Before handling this material, read and understand the MSDS (Material Safety Data Sheet) for additional information on personal protective equipment and for safety, health and environmental information.